




Basic DOL Starter, Size one enclosure, On/Off to operate one Vibrator /Motor



DOL Starter to suit one MVS1 Vibrator
 Overload fitted
 Large range of compatible overloads available
 Weatherproof IP55
 Pressed steel casing complete with removable lid
 Standard coil voltages: 50/60Hz
 Surface mounting type
 Built in start/stop reset push buttons
 Cable, plugs and cable glands are available



VIBRATECHNIQUES LTD

20 Cecil Pashley Way, Shoreham Airport, Shoreham by Sea, West Sussex, BN43 5FF

Tel: +44 (0)1273 430977 Fax: +44 (0)1273 430978 Email: sales@vibtec.com Web: www.vibtec.com

Direct on Line Starters c/w with coil and Overload to IP55

Size 1 Enclosure

Part Number	Cat	Specification	Voltage	Overload amps	To suit
046727 .1.100	A	3DL1ADS/10	115/1/50	0.63-1.00	MVSI 3/200
046727 .1.160		3DL1AES/10	115/1/50	1.00-1.60	MVSI3/300
046727 .1.250		3DL1AFS/10	115/1/50	1.60-2.50	MVSI3/500
046727 .1.400		3DL1AGS/10	115/1/50	2.50-4.00	
046727 .1.600		3DL1AHS/10	115/1/50	4.00-6.00	
046727 .1.800		3DL1AJS/10	115/1/50	5.50-8.00	
046727 .1.1000		3DL1AKS/10	115/1/50	7.00-10.00	
046727.1.1300		3DL1ALS/10	115/1/50	10.00-13.00	
046727 .1.1800	B	3DL2AMS/10	115/1/50	13.00-18.00	
046727 .1.2500	C	3DL3ANS/10	115/1/50	18.00-25.00	
046728.1.063	A	3DL1CBS/10	230/1/50	0.40-0.63	MVSI5/35, MVSI5/80, MVSI5/100
046728.1.100		3DL1CDS/10	230/1/50	0.63-1.00	MVSI3/100, MVSI3/200
046728.1.160		3DL1CES/10	230/1/50	1.00-1.60	MVSI3/300, MVSI5/200, MVSI5/400
046728.1.250		3DL1CFS/10	230/1/50	1.60-2.50	MVSI3/500, MVSI3/700, MVSI5/700
046728.1.400		3DL1CGS/10	230/1/50	2.50-4.00	MVSI3/800
046728.1.600		3DL1CHS/10	230/1/50	4.00-6.00	
046728.1.800		3DL1CJS/10	230/1/50	5.50-8.00	
046728.1.1000		3DL1CKS/10	230/1/50	7.00-10.00	
046728.1.1300	3DL1CLS/10	230/1/50	10.00-13.00		
046728.1.1800	B	3DL2CMS/10	230/1/50	13.00-18.00	
0467282.1.500	C	3DL3CNS/10	230/1/50	18.00-25.00	
046729.1.025	A	3DL1EXS	415/3/50	0.16-0.25	MVSI5/35, MVSI5/80, MVSI5/100
046729.1.040		3DL1EAS	415/3/50	0.25-0.40	MVSI3/100, MVSI3/200
046729.1.063		3DL1EBS	415/3/50	0.40-0.63	MVSI3/300, MVSI5/200, MVSI5/400, MVSI550
046729.1.100		3DL1EDS	415/3/50	0.63-1.00	MVSI3/500, MVSI3/700, MVSI5/700, MVSI5/900, MVSI5/1110
046729.1.160		3DL1EES	415/3/50	1.00-1.60	MVSI3/800, MVSI5/1410,
046729.1.250		3DL1EFS	415/3/50	1.60-2.50	MVSI3/1100, MVSI3/1300, MVSI3/1500, MVSI3/1600, MVSI5/1710
046729.1.400		3DL1EGS	415/3/50	2.50-4.00	MVSI3/1800
046729.1.600		3DL1RHS	415/3/50	4.00-6.00	
046729.1.800		3DL1EJS	415/3/50	5.50-8.00	
046729.1.1000		3DL1EKS	415/3/50	7.00-10.00	
046729.1.1300		3DL1ELS	415/3/50	10.00-13.00	
046729.1.1800		B	3DL2EMS	415/3/50	13.00-18.00
046729.1.2500	C	3DL3ENS	415/3/50	18.00-25.00	

VIBRATECHNIQUES LTD





20 Cecil Pashley Way, Shoreham Airport, Shoreham by Sea, West Sussex, BN43 5FF

Tel: +44 (0)1273 430977 Fax: +44 (0)1273 430978 Email: sales@vibtec.com Web: www.vibtec.com

DOL Starter, Size two enclosure , On/Off to operate two Vibrators/Motors



DOL Starter to suit two MVSI Vibrator
Overload fitted
Large range of compatible overloads available
Weatherproof IP55
Pressed steel casing complete with removable lid
Standard coil voltages: 50/60Hz
Surface mounting type
Built in start/stop reset push buttons
Cable, plugs and cable glands



VIBRATECHNIQUES LTD





20 Cecil Pashley Way, Shoreham Airport, Shoreham by Sea, West Sussex, BN43 5FF

Tel: +44 (0)1273 430977 Fax: +44 (0)1273 430978 Email: sales@vibtec.com Web: www.vibtec.com

DOL Starter, Size three enclosure , On/Off , fitted with Isolator Switch to operate two Vibrators/Motors



- DOL Starter to suit two MVSI Vibrator
- Isolator Switch
- Overload fitted
- Large range of compatible overloads available
- Weatherproof IP55
- Pressed steel casing complete with removable lid
- Standard coil voltages: 50/60Hz
- Surface mounting type
- Built in start/stop reset push buttons
- Cable, plugs and cable glands



VIBRATECHNIQUES LTD

20 Cecil Pashley Way, Shoreham Airport, Shoreham by Sea, West Sussex, BN43 5FF

Tel: +44 (0)1273 430977 Fax: +44 (0)1273 430978 Email: sales@vibtec.com Web: www.vibtec.com

Direct on Line Starters with coil and Overload to IP55 to operate two Vibrators

Size 2 Enclosure			Size 3 Enclosure with Isolator Switch			Voltage	Overload amps
Part Number	Cat	Specification	Part Number	Cat	Specification		
046727.2.100	D	3DL1ADDS/10	046727 .3.100	G	3DL1ADDI/10	115/1/50	0.63-1.00
046727.2.160		3DL1AEES/10	046727 .3.160		3DL1AEEI/10	115/1/50	1.00-1.60
046727.2.250		3DL1AFFS/10	046727 .3.250		3DL1AFFI/10	115/1/50	1.60-2.50
046727.2.400		3DL1AGGS/10	046727 .3.400		3DL1AGGI/10	115/1/50	2.50-4.00
046727.2.600		3DL1AHHS/10	046727 .3.600		3DL1AHHI/10	115/1/50	4.00-6.00
046727.2.800		3DL1AJJS/10	046727 .3.800		3DL1AJJI/10	115/1/50	5.50-8.00
046727.2.1000		3DL1AKKS/10	046727 .3.1000		3DL1AKKI/10	115/1/50	7.00-10.00
046727.2.1300		3DL1ALLS/10	046727.3.1300		3DL1ALLI/10	115/1/50	10.00-13.00
046727.2.1800	E	3DL2AMMS/10	046727 .3.1800	H	3DL2AMMI/10	115/1/50	13.00-18.00
046727.2.2500	F	3DL3ANNS/10	046727 .3.2500	I	3DL3ANNI/10	115/1/50	18.00-25.00
046728.2.063	D	3DL1CBBS/10	046728.3.063	G	3DL1CBBI/10	230/1/50	0.40-0.63
046728.2.100		3DL1CDDS/10	046728.3.100		3DL1CDDI/10	230/1/50	0.63-1.00
046728.2.160		3DL1CEES/10	046728.3.160		3DL1CEEI/10	230/1/50	1.00-1.60
046728.2.250		3DL1CFFS/10	046728.3.250		3DL1CFFI/10	230/1/50	1.60-2.50
046728.2.400		3DL1CGGS/10	046728.3.400		3DL1CGGI/10	230/1/50	2.50-4.00
046728.2.600		3DL1CHHS/10	046728.3.600		3DL1CHHI/10	230/1/50	4.00-6.00
046728.2.800		3DL1CJJS/10	046728.3.800		3DL1CJJI/10	230/1/50	5.50-8.00
046728.2.1000		3DL1CKKS/10	046728.3.1000		3DL1CKKI/10	230/1/50	7.00-10.00
046728.2.1300		3DL1CLLS/10	046728.3.1300		3DL1CLLI/10	230/1/50	10.00-13.00
046728.2.1800		E	3DL2CMMS/10		046728.3.1800	H	3DL2CMMI/10
046728.2.2500	F	3DL3CNNS/10	046728.3.2500	I	3DL3CNNI/10	230/1/50	18.00-25.00
046729.2.025	D	3DL1EXXS	046729.3.025	G	3DL1EXXI	415/3/50	0.16-0.25
046729.2.040		3DL1EAAS	046729.3.040		3DL1EAAI	415/3/50	0.25-0.40
046729.2.063		3DL1EBBS	046729.3.063		3DL1EBBI	415/3/50	0.40-0.63
046729.2.100		3DL1EDDS	046729.3.100		3DL1EDDI	415/3/50	0.63-1.00
046729.2.160		3DL1EEES	046729.3.160		3DL1EEEI	415/3/50	1.00-1.60
046729.2.250		3DL1EFFS	046729.3.250		3DL1EFFI	415/3/50	1.60-2.50
046729.2.400		3DL1EGGS	046729.3.400		3DL1EGGI	415/3/50	2.50-4.00
046729.2.600		3DL1EHHS	046729.3.600		3DL1EHHI	415/3/50	4.00-6.00
046729.2.800		3DL1EJJS	046729.3.800		3DL1EJJI	415/3/50	5.50-8.00
046729.2.1000		3DL1EKKS	046729.3.1000		3DL1EKKI	415/3/50	7.00-10.00
046729.2.1300		3DL1ELLS	046729.3.1300		3DL1ELLI	415/3/50	10.00-13.00
046729.2.1800		E	3DL2EMMS		046729.3.1800	H	3DL2EMMI
046729.2.2500	F	3DL3ENNS	046729.3.2500	I	3DL3ENNI	415/3/50	18.00-25.00

VIBRATECHNIQUES LTD

20 Cecil Pashley Way, Shoreham Airport, Shoreham by Sea, West Sussex, BN43 5FF

Tel: +44 (0)1273 430977 Fax: +44 (0)1273 430978 Email: sales@vibtec.com Web: www.vibtec.com